Contents of Volume 51

Vol. 51, No. 1 January (I) 2003

POR hits the road: import and assembly of a plastid protein
H. Aronsson, C. Sundqvist, C. Dahlin **1–7**

G-box binding coincides with increased *Solanum melongena* cysteine proteinase expression in senescent fruits and circadian-regulated leaves
Z.-F. Xu, M.-L. Chye, H.-Y. Li, F.-X. Xu, K.-M. Yao **9–19**

Expression profiles of the *Arabidopsis* WRKY gene superfamily during plant defense response
J. Dong, C. Chen, Z. Chen **21–37**

Role of an ABI3 homologue in dormancy maintenance of yellow-cedar seeds and in the activation of storage protein and Em gene promoters
Y. Zeng, N. Raimondi, A.R. Kermode **39–49**

Association of decreased expression of a Myb transcription factor with the TPD (tapping panel dryness) syndrome in *Hevea brasiliensis*
S. Chen, S. Peng, G. Huang, K. Wu, X. Fu, Z. Chen **51–58**

***OsSEND-1*: a new RAD2 nuclease family member in higher plants**
T. Furukawa, S. Kimura, T. Ishibashi, Y. Mori, J. Hashimoto, K. Sakaguchi **59–70**

Salinity stress-tolerant and -sensitive rice (*Oryza sativa* L.) regulate AKT1-type potassium channel transcripts differently
D. Golldack, F. Quigley, C.B. Michalowski, U.R. Kamasani, H.J. Bohnert **71–81**

Multi-functional T-DNA/*Ds* tomato lines designed for gene cloning and molecular and physical dissection of the tomato genome
D. Gidoni, E. Fuss, A. Burbidge, G.-J. Speckmann, S. James, D. Nijkamp, A. Mett, J. Feiler, M. Smoker, M.J. de Vroomen, D. Leader, T. Liharska, J. Groenendijk, E. Coppoolse, J.J.M. Smit, I. Levin, M. de Both, W. Schuch, J.D.G. Jones, I.B. Taylor, K. Theres, M.J.J. van Haaren **83–98**

Molecular and cellular characterisation of LjAMT2;1, an ammonium transporter from the model legume *Lotus japonicus*
U. Simon-Rosin, C. Wood, M.K. Udvardi **99–108**

Biological and molecular comparison between localized and systemic acquired resistance induced in tobacco by a *Phytophthora megasperma* glycoprotein elicitin
S. Cordelier, P. de Ruffray, B. Fritig, S. Kauffmann **109–118**

Traumatic resin defense in Norway spruce (*Picea abies*): Methyl jasmonate-induced terpene synthase gene expression, and cDNA cloning and functional characterization of (+)-3-carene synthase
J. Fäldt, D. Martin, B. Miller, S. Rawat, J. Bohlmann **119–133**

Polygalacturonase: a candidate gene for the soft flesh and deciduous fruit mutation in *Capsicum*
G.U. Rao, I. Paran **135–141**

Characterization of transgenic rice plants over-expressing the stress-inducible β-glucanase gene *Gns1*
Y. Nishizawa, M. Saruta, K. Nakazono, Z. Nishio, M. Soma, T. Yoshida, E. Nakajima, T. Hibi **143–152**

Vol. 51, No. 2 January (II) 2003

Modulation of berberine bridge enzyme levels in transgenic root cultures of California poppy alters the accumulation of benzophenanthridine alkaloids
S.-U. Park, M. Yu, P.J. Facchini **153–164**

A serine carboxypeptidase gene (*PsCP*), expressed in early steps of reproductive and vegetative development in *Pisum sativum*, is induced by gibberellins
M. Cercós, C. Urbez, J. Carbonell **165–174**

Two chloroplastic protein translocation components, Tic110 and Toc75, are conserved in different plastid types from multiple plant species
J.A. Dávila-Aponte, K. Inoue, K. Keegstra **175–181**

Expression studies of SCA in lily and confirmation of its role in pollen tube adhesion
S.-Y. Park, E.M. Lord **183–189**

Chlorophyll reduction in the seed of *Brassica napus* with a glutamate 1-semialdehyde aminotransferase antisense gene
E.W.T. Tsang, J. Yang, Q. Chang, G. Nowak, A. Kolenovsky, D.I. McGregor, W.A. Keller **191–201**

Efficient male germ line transformation for transgenic tobacco production without selection
N. Aziz, G.C. Machray **203–211**

Abnormal 'wrinkled' cell walls and retarded development of transgenic *Arabidopsis thaliana* plants expressing endo-1,4-β-glucanase (*cel*1) antisense
G. Tsabary, Z. Shani, L. Roiz, I. Levy, J. Riov, O. Shoseyov **213–224**

Arrest of chlorophyll synthesis and differential decrease of Photosystems I and II in a cyanobacterial mutant lacking light-independent protochlorophyllide reductase
S. Kada, H. Koike, K. Satoh, T. Hase, Y. Fujita **225–235**

Functional characterisation of a cytokinin oxidase gene *DSCKX1* in *Dendrobium* orchid
S.H. Yang, H. Yu, C.J. Goh **237–248**

Identification of water-deficit responsive genes in maritime pine (*Pinus pinaster* Ait.) roots
C. Dubos, C. Plomion **249–262**

Cre recombinase expression can result in phenotypic aberrations in plants
E.R. Coppoolse, M.J. de Vroomen, D. Roelofs, J. Smit, F. van Gennip, B.J.M. Hersmus, H.J.J. Nijkamp, M.J.J. van Haaren **263–279**

Transcriptional and biochemical regulation of a novel *Arabidopsis thaliana* bifunctional aspartate kinase-homoserine dehydrogenase gene isolated by functional complementation of a yeast *hom6* mutant
S.E. Rognes, E. Dewaele, S.F. Aas, M. Jacobs, V. Frankard **281–294**

Vol. 51, No. 3 February (I) 2003

Two genes encoding protein phosphatase 2A catalytic subunits are differentially expressed in rice
R.M.K. Yu, Y. Zhou, Z.-F. Xu, M.-L. Chye, R.Y.C. Kong **295–311**

Evolution and expression of *MYB* genes in diploid and polyploid cotton
M.L. Cedroni, R.C. Cronn, K.L. Adams, T.A. Wilkins, J.F. Wendel **313–325**

4-Coumarate:CoA ligase gene family in *Rubus idaeus*: cDNA structures, evolution, and expression
A. Kumar, B.E. Ellis **327–340**

Characterization of the expression of *Phaseolus vulgaris OCT1*, a dehydration-regulated gene that encodes a new type of phloem transporter
G.A.M. Torres, C. Lelandais-Brière, E. Besin, M.-F. Jubier, O. Roche, C. Mazubert, F. Corre-Menguy, C. Hartmann **341–349**

The cryptic enhancer elements of the *tCUP* promoter
K. Wu, M. Hu, T. Martin, C. Wang, X.-Q. Li, L. Tian, D. Brown, B. Miki **351–362**

Light-dependent induction of proline biosynthesis by abscisic acid and salt stress is inhibited by brassinosteroid in *Arabidopsis*
E. Ábrahám, G. Rigó, G. Székely, R. Nagy, C. Koncz, L. Szabados **363–372**

An interaction between an *Arabidopsis* poly(A) polymerase and a homologue of the 100 kDa subunit of CPSF
B.J. Elliott, T. Dattaroy, L.R. Meeks-Midkiff, K.P. Forbes and A.G. Hunt **373–384**

Characterization of *Arabidopsis* plastid sigma-like transcription factors SIG1, SIG2 and SIG3
I. Privat, M.-A. Hakimi, L. Buhot, J.-J. Favory, S. Lerbs-Mache **385–399**

A maize histone deacetylase and retinoblastoma-related protein physically interact and cooperate in repressing gene transcription
V. Rossi, S. Locatelli, C. Lanzanova, M.B. Boniotti, S. Varotto, A. Pipal, M. Goralik-Schramel, A. Lusser, C. Gatz, C. Gutierrez, M. Motto **401–413**

The *Arabidopsis CLV3*-like *(CLE)* genes are expressed in diverse tissues and encode secreted proteins
V.K. Sharma, J. Ramirez, J.C. Fletcher **415–425**

***IAA8* expression during vascular cell differentiation**
A.T. Groover, A. Pattishall, A.M. Jones **427–435**

Transient decreases in methylation at 5′-CCGG-3′ sequences in potato (*Solanum tuberosum* L.) meristem DNA during progression of tubers through dormancy precede the resumption of sprout growth
R.D. Law, J.C. Suttle **437–447**

Erratum **449**

Vol. 51, No. 4 March (I) 2003

The nectary-specific pattern of expression of the tobacco Nectarin I promoter is regulated by multiple promoter elements
C. Carter, R.W. Thornburg **451–457**

Neutralizing immunogenicity of transgenic carrot (*Daucus carota* L.)-derived measles virus hemagglutinin
E. Marquet-Blouin, F.B. Bouche, A. Steinmetz, C.P. Muller **459–469**

Molecular characterization of a novel senescence-associated gene SPA15 induced during leaf senescence in sweet potato
M.-N. Yap, R.-H. Lee, Y.-J. Huang, C.-J. Liao, S.-C.G. Chen **471–481**

Membrane localization of *Arabidopsis* acyl-CoA binding protein ACBP2
H.-Y. Li, M.-L. Chye **483–492**

Expression and import of an active cellulase from a thermophilic bacterium into the chloroplast both *in vitro* and *in vivo*
R. Jin, S. Richter, R. Zhong, G.K. Lamppa **493–507**

Nuclease activities and DNA fragmentation during programmed cell death of megagametophyte cells of white spruce (*Picea glauca*) seeds
X. He, A.R. Kermode **509–521**

Differences in the processing of DNA ends in *Arabidopsis thaliana* and tobacco: possible implications for genome evolution
N. Orel, H. Puchta **523–531**

Centromere-specific acetylation of histone H4 in barley detected through three-dimensional microscopy
T. Wako, A. Houben, R. Furushima-Shimogawara, N.D. Belyaev, K. Fukui **533–541**

Molecular characterization of rice *hsp101*: complementation of yeast *hsp104* mutation by disaggregation of protein granules and differential expression in indica and japonica rice types
M. Agarwal, C. Sahi, S. Katiyar-Agarwal, S. Agarwal, T. Young, D.R. Gallie, V.M. Sharma, K. Ganesan, A. Grover **543–553**

Ankyrin protein kinases: a novel type of plant kinase gene whose expression is induced by osmotic stress in alfalfa
D. Chinchilla, F. Merchan, M. Megias, A. Kondorosi, C. Sousa, M. Crespi **555–566**

Type-1 ribosome-inactivating protein from iris bulbs: a useful agronomic tool to engineer virus resistance?
S. Desmyter, F. Vandenbussche, Q. Hao, P. Proost, W.J. Peumans, E.J.M. Van Damme **567–576**

Identification of a copper transporter family in *Arabidopsis thaliana*
V. Sancenón, S. Puig, H. Mira, D.J. Thiele, L. Peñarrubia **577–587**

The serine acetyltransferase gene family in *Arabidopsis thaliana* and the regulation of its expression by cadmium
J.R. Howarth, J.R. Domínguez-Solís, G. Gutiérrez-Alcalá, J.L. Wray, L.C. Romero, C. Gotor **589–598**

Ozone-induced gene expression occurs via ethylene-dependent and -independent signalling
B. Grimmig, M.N. Gonzalez-Perez, G. Leubner-Metzger, R. Vögeli-Lange, F. Meins, R. Hain, J. Penuelas, B. Heidenreich, C. Langebartels, D. Ernst, H. Sandermann Jr. **599–607**

Phototropin 1 is required for high-fluence blue-light-mediated mRNA destabilization
K.M. Folta, L.S. Kaufman **609–618**

Expression studies of plant genes differentially expressed in leaf and root tissues of tomato colonised by the arbuscular mycorrhizal fungus *Glomus mosseae*
J. Taylor, L.A. Harrier **619–629**

Vol. 51, No. 5 March (II) 2003

The position of the proricin vacuolar targeting signal is functionally important
N.A. Jolliffe, A. Ceriotti, L. Frigerio, L.M. Roberts **631–641**

Somatic mobility of the maize element *Ac* and its utility for gene tagging in aspen
S. Kumar, M. Fladung **643–650**

The Arabidopsis nuclear *DAL* gene encodes a chloroplast protein which is required for the maturation of the plastid ribosomal RNAs and is essential for chloroplast differentiation
C. Bisanz, L. Bégot, P. Carol, P. Perez, M. Bligny, H. Pesey, J.-L. Gallois, S. Lerbs-Mache, R. Mache **651–663**

Matrix attachment regions enhance transcription of a downstream transgene and the accessibility of its promoter region to micrococcal nuclease
Y. Fukuda, S. Nishikawa **665–675**

Heat-tolerant basmati rice engineered by over-expression of *hsp101*
S. Katiyar-Agarwal, M. Agarwal, A. Grover **677–686**

A novel TMV-induced hot pepper cell wall protein gene (*CaTin2*) is associated with virus-specific hypersensitive response pathway
R. Shin, C.-J. Park, J.-M. An, K.-H. Paek **687–701**

Identification and characterisation of a melon genomic region containing a resistance gene cluster from a constructed BAC library. Microcolinearity between *Cucumis melo* and *Arabidopsis thaliana*
H. van Leeuwen, A. Monfort, H.-Б. Zhang, P. PuigdomLnech **703–718**

The *Arabidopsis thaliana* homeobox gene *ATHB5* is a potential regulator of abscisic acid responsiveness in developing seedlings
H. Johannesson, Y. Wang, J. Hanson, P. Engström **719–729**

Molecular cloning and characterization of triterpene synthases from *Medicago truncatula* and *Lotus japonicus*
I. Iturbe-Ormaetxe, K. Haralampidis, K. Papadopoulou, A.E. Osbourn **731–743**

Respiratory gene expression in soybean cotyledons during post-germinative development
D.O. Daley, M.J. Considine, K.A. Howell, A.H. Millar, D.A. Day, J. Whelan **745–755**

Chlorophyll antenna size adjustments by irradiance in *Dunaliella salina* involve coordinate regulation of chlorophyll *a* oxygenase (*CAO*) and *Lhcb* gene expression
T. Masuda, A. Tanaka, A. Melis **757–771**

Regulated expression of *Arabidopsis* Shaker K^+ channel genes involved in K^+ uptake and distribution in the plant
G. Pilot, F. Gaymard, K. Mouline, I. Chérel, H. Sentenac **773–787**

Microbial starch-binding domains as a tool for targeting proteins to granules during starch biosynthesis
Q. Ji, J.-P. Vincken, L.C.J.M. Suurs, R.G.F. Visser **789–801**

Vol. 51, No. 6 April (I) 2003

Differential expression of genes encoding calmodulin-binding proteins in response to bacterial pathogens and inducers of defense responses
G.S. Ali, V.S. Reddy, P.B. Lindgren, J.L. Jakobek, A.S.N. Reddy **803–815**

Tobacco bZIP factor TGA10 is a novel member of the TGA family of transcription factors
A. Schiermeyer, C. Thurow, C. Gatz **817–829**

A novel oxidative stress-inducible peroxidase promoter from sweetpotato: molecular cloning and characterization in transgenic tobacco plants and cultured cells
K.-Y. Kim, S.-Y. Kwon, H.-S. Lee, Y. Hur, J.-W. Bang, S.-S. Kwak **831–838**

Sporamin-medicated resistance to beet cyst nematodes (*Heterodera schachtii* Schm.) is dependent on trypsin inhibitory activity in sugar beet (*Beta vulgaris* L.) hairy roots
D. Cai, T. Thurau, Y. Tian, T. Lange, K.-W. Yeh, C. Jung **839–849**

Pectate lyase gene expression an enzyme activity in ripening banana fruit
M.C. Marín-Rodríguez, D.L. Smith, K. Manning, J. Orchard, G.B. Seymour **851–857**

The age of the *Arabidopsis thaliana* genome duplication
M.D. Ermolaeva, M. Wu, J.A. Eisen, S.L. Salzberg **859–866**

Expression of *AODEF*, a B-functional MADS-box gene, in stamens and inner tepals of the dioecious species *Asparagus officinalis* L.
J.-H. Park, Y. Ishikawa, R. Yoshida, A. Kanno, T. Kameya **867–875**

The *fuc1* gene product (20 kDa FUC1) of *Pisum sativum* has no α-L-fucosidase activity
T. Tarragó, I. Martínez, M. Torrent, A. Codina, E. Giralt, P. Puigdomènech, D. Ludevid **877–884**

C-terminal extension of phaseolin with a short methionine-rich sequence can inhibit trimerisation and result in high instability
J. Nuttall, A. Vitale, L. Frigerio **885–894**

Jasmonate biosynthesis and the allene oxide cyclase family of *Arabidopsis thaliana*
I. Stenzel, B. Hause, O. Miersch, T. Kurz, H. Maucher, H. Weichert, J. Ziegler, I. Feussner, C. Wasternack **895–911**

Ferredoxin from sweet pepper (*Capsicum annuum* L.) intensifying harpin$_{pss}$-mediated hypersensitive response shows an enhanced production of active oxygen species (AOS)
B.V. Dayakar, H.-J. Lin, M.-C. Chung, C.-H. Chen, M.-J. Ger, B.-H. Lee, C.-H. Pai, D. Chow, H.-E. Huang, S.-Y. Hwang, T.-Y. Feng **913–924**

Genome organization in *Arabidopsis thaliana*: a survey for genes involved in isoprenoid and chlorophyll metabolism
B.M. Lange, M. Ghassemian **925–948**

Oscillation of mRNA level and activity of granule-bound starch synthase I in *Arabidopsis* leaves during the day/night cycle
G. Tenorio, A. Orea, J.M. Romero, A. Mérida **949–958**

Characterization, expression and phylogenetic study of *R2R3-MYB* genes in orchid
X.-M. Wu, S.-H. Lim, W.-C. Yang **959–972**

A new *Arabidopsis thaliana* mutant deficient in the expression of *O*-methyltransferase impacts lignins and sinapoyl esters
T. Goujon, R. Sibout, B. Pollet, B. Maba, L. Nussaume, N. Bechtold, F. Lu, J. Ralph, I. Mila, Y. Barrière, C. Lapierre, L. Jouanin **973–989**

Double-stranded RNA replicons associated with chloroplasts of a green alga, *Bryopsis cinicola*
R. Koga, H. Horiuchi, T. Fukuhara **991–999**

Instructions for authors **1001–1004**

Volume contents **1007–1011**

Author index **1013–1014**